Cathedral Stone Products, Inc.

WHEN SUBMITTING MASONRY SAMPLES FOR JAHN MORTAR COLOR SELECTION, PLEASE PAY ATTENTION TO THE FOLLOWING:

TAKE SAMPLE(S):	Select locations that represent typical color and texture. Send one sample for each color needed.	
Color:	<u>IF THE STRUCTURE WILL BE CLEANED, YOU MUST SEND A CLEANED SAMPLE</u> The lab will not clean any samples.	
Texture:	Send a tooled sample if patch will be tooled.	
Sample size:	No smaller than 2" x 2" - larger if possible (No Powder!)	
MARK SAMPLE(S):	The surface to be matched must be clearly indicated.	
COMPLETE SAMPLE		
INFORMATION FORM:	Project Manager or Architect must complete the attached form and return it. One form should be completed for each sample being sent. We cannot begin to process your samples until we receive the form(s) and payment. <u>Allow 3-10 business days for processing Jahn Color Samples.</u>	
SEND SAMPLE(S) AND FORM TO:	Cathedral Stone Products, Inc. Attn: Color Lab 7266 Park Circle Drive Hanover, MD 21076 Fax: (410) 782-9155	

You Will Receive:

- One matching dry powder sample
- The dry powder should be mixed and applied on site (from the same location that sample was removed) as a color mock-up.
- Directions for mixing, application, and curing are included or can be found at cathedralstone.com. (The site-applied sample should match our finished laboratory sample)

We will notify you if we determine that a Standard or Premium Jahn color matches your masonry sample.

Please note the following exceptions:

- Terra Cotta We will supply your choice of Standard/Premium color or custom match the surface color. <u>All</u> <u>Terra Cotta repairs must be painted with CSP's Terra Cotta Glazing System to prevent later intrusion.</u>
- **Granite** It is not possible for us to match the multicolored appearance of granite. We will supply you with a suitable matching background color the appropriate aggregate (granite dust, etc.) must be added on site to the surface of the damp Jahn mortar; up to 20% of aggregate may be added. It may be necessary to lightly wash the finished repair with a mild acetic acid (white vinegar) to expose the aggregate within one or two days.
- **Marble** The Jahn M120 Marble Repair Mortar will be supplied in a uniform color. If attempting to simulate veining, on site techniques must be developed, possibly using paint, stains or a darker Jahn mix applied in veins carved into the Jahn repair.

SAMPLE INFORMATION: JAHN MORTAR COLOR MATCH

Please complete this form (one for each different information to formulate a custom Jahn produ- will be required, and must be received before	ct. We cannot process your sample wi	ithout it. For all sample colors the lab fee
Bill to:	Ship To:	
Phone:	FAX:	
Contact:	Email:	
If you would like to pay the lab fee by credi	t card, please complete the followin	ıg:
Account Number:	Security Code:	Expiration Date:
Card Holder's Name:		
Billing Address (if different from above):		
Building or Project Name:		
A 11		
Type of Masonry Requested:		
(e.g., Brownstone, Li	mestone, Brick, Terra Cotta, Precast, Poir	nting Mortar, etc.)
**Pointing Mortar, what type of stone is being	grepointed?	
Person in charge of color approval:		
	(e.g., Architect, Consultant, Owner)	
Company:		
Address:		
Phone:F	ax:	
Please answer the following questions about	t vour sample.	
Surface to be matched? exposed		ample on the side to be matched)
	o Has the sample been cleaned	
Note: We do not clean samples, if the bui		o be matched must also be clean.
How will the patches be textured? (e.g., smooth		
The patches are (circle one): painted	sealed left alone?	
Are you patching steps, pavers or other traffic	areas? yes no)
For your sample, would you like:		
Standard Jahn Mortar (\$48 - 1qt)	Premium Jahn Mortar (\$99 - 1qt)	Custom Jahn Mortar (\$238 - color match + 1qt)
How much do you anticipate needing:s	q. ft. @depth (or # of pails:) When:
Name of Authorized Installer:	Authorized Installer	#:
Submitted by: (Signature)		

Cathedral Stone Products, Inc. 7266 Park Circle Drive, Hanover, Maryland 21076 (800) 684-0901 — FAX: (410) 782-9155 — cathedralstone.com