



**WHEN SUBMITTING MASONRY SAMPLES FOR PAINT COLOR MATCH,  
PLEASE PAY ATTENTION TO THE FOLLOWING:**

**TAKE SAMPLE(S):** Select locations that represent typical color and texture.  
Send one sample for each color needed.

**Color:** **SEND A CLEANED SAMPLE, IF BUILDING WILL BE CLEANED.  
The lab will not clean any samples.**

**Sample size:** No smaller than 2" x 2" - larger if possible (No Powder!)

**MARK SAMPLE(S):** **The surface/side to be matched must be clearly indicated.**

**COMPLETE SAMPLE**

**INFORMATION FORM:** Project Manager or Architect must complete the attached form and return it. One form should be completed for each sample being sent. **We cannot begin to process your samples until we receive the form(s) and payment.** Allow 3-10 business days for processing color samples.

**SEND SAMPLE(S)  
AND FORM TO:** Cathedral Stone Products, Inc.  
Attn: Color Lab  
7266 Park Circle Drive  
Hanover, MD 21076  
Fax: (410) 782-9155

**You Will Receive:**

- One matching paint sample
- The paint sample should be mixed and applied on site (from the same location that sample was removed) as a color mock-up.
- Directions for mixing, application, and curing are included or can be found at [cathedralstone.com](http://cathedralstone.com). (The site-applied sample should match our finished laboratory sample)

## COLOR SAMPLE INFORMATION: PAINT COLOR MATCH

Please complete this form (one for each different sample) and include it when you send us your sample. Our lab requires this information to formulate a custom Mineral Coating product. We cannot process your sample without it. **For all sample colors the lab fee will be required, and must be received before the color matching process will begin.** Thank you!

Bill to: \_\_\_\_\_ Ship To: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Phone: \_\_\_\_\_ FAX: \_\_\_\_\_

Contact: \_\_\_\_\_ Email: \_\_\_\_\_

**If you would like to pay the lab fee by credit card, please complete the following:**

Account Number: \_\_\_\_\_ Security Code: \_\_\_\_\_ Expiration Date: \_\_\_\_\_

Card Holder's Name: \_\_\_\_\_ Card Holder's Signature: \_\_\_\_\_

Billing Address (if different from above): \_\_\_\_\_  
\_\_\_\_\_

Building or Project Name: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Person in charge of color approval: \_\_\_\_\_  
(e.g., Architect, Consultant, Owner)

Company: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

**Please answer the following questions about your sample:**

Surface to be matched?  exposed  fractured (Please mark the sample on the side to be matched)

Will the building be cleaned?  yes  no Has the sample been cleaned?  yes  no

*Note: We do not clean samples, if the building has or will be cleaned, the sample to be matched must also be clean.*

If sample of stone cannot be sent in:

Fan Deck Supplier: \_\_\_\_\_ Color Code: \_\_\_\_\_ Color Name: \_\_\_\_\_  
(Benjamin Moore, Sherwin Williams, etc.) (AF-566, 1044, 35452-BS-2, etc.) (Coastal Path, Elk Horn, etc.)

For your sample, would you like:

Potassium Silicate  
Sample (formula required)  
(\$95ea/12oz)

Potassium Silicate  
Color Match + Sample  
(\$238.00ea/12oz)

Liquid Silicate  
Sample  
(\$22ea/12oz)

Terra Cotta Glaze  
Sample  
(\$22ea/12oz)

How much do you anticipate needing: \_\_\_\_\_ sq. ft. @ \_\_\_\_\_ depth (or # of pails: \_\_\_\_\_) When: \_\_\_\_\_

Submitted by: (Signature) \_\_\_\_\_