



**WHEN SUBMITTING MASONRY SAMPLES FOR PAINT COLOR MATCH,
PLEASE PAY ATTENTION TO THE FOLLOWING:**

TAKE SAMPLE(S): Select locations that represent typical color and texture.
Send one sample for each color needed.
Color: **IF THE STRUCTURE WILL BE CLEANED, YOU MUST SEND A CLEANED SAMPLE. THE LAB WILL NOT CLEAN SAMPLES.**
Sample size: No smaller than 2" x 2" - larger if possible (No Powder!)

MARK SAMPLE(S): **The surface/side to be matched must be clearly indicated.**

COMPLETE SAMPLE INFORMATION FORM: Project Manager or Architect must complete the attached form and return it. One form should be completed for each sample being sent. **We cannot begin to process your sample(s) until we receive the form(s) and payment. Allow 3-10 business days for processing of color samples.**

SEND SAMPLE(S) AND FORM TO: Cathedral Stone Products, Inc.
Attn: Color Lab
7266 Park Circle Drive
Hanover, MD 21076
Fax: (410) 782-9155

You Will Receive: One matching paint sample

Important:

- The paint sample mockup should be installed at the same location used for the color match source sample.
- Directions for mixing, application, and curing are included with your color match sample and can also be found at cathedralstone.com/IMS/Product/Documentation/ — or use this QR code:



COLOR SAMPLE INFORMATION: PAINT COLOR MATCH

Please complete this form (one for each sample) and include it when you send us your sample(s). Our lab requires this information to formulate a custom Potassium Silicate Mineral Coating. We cannot process your sample without it. **For all sample colors, the lab fee will be required and must be received before the start of the color matching process.** Thank you!

Bill to: _____ Ship To: _____

Phone: _____ Cell: _____

Contact: _____ Email: _____

If you would like to pay the lab fee by credit card, please complete the following:

Card Number: _____ Security Code: _____ Expiration Date: _____

Card Holder's Name: _____ Card Holder's Signature: _____

Billing Address (if different from above): _____

Building or Project Name: _____

Address: _____

Please answer the following questions about your sample:

Surface to be matched? exposed fractured *(Please mark the sample on the side to be matched)*

Will the building be cleaned? yes no Has the sample been cleaned? yes no

Note: We do not clean samples, if the building has or will be cleaned, the sample to be matched must also be clean.

If your sample does not match a Standard or Premium color, do you approve a Custom Jahn Mortar Match (\$238 - color match + 12 oz sample)? yes no

If you are sending us a color swatch instead of a physical sample, we need the following information:

Fan Deck Supplier: _____ Color Code: _____ Color Name: _____
(Benjamin Moore, Sherwin Williams, etc.) (AF-566, 1044, 35452-BS-2, etc.) (Coastal Path, Elk Horn, etc.)

How much do you anticipate needing: _____ sq. ft. @ _____ depth (or # of pails: _____) When: _____

Do you want your sample(s) returned: yes no

Optional: Add to my order: 12 oz Liquid Silicate 12 oz Terra Cotta Glaze

Submitted by: (Signature) _____