



Cathedral Stone® Products, Inc.

The leader in scientific masonry restoration

**WHEN SUBMITTING MASONRY SAMPLES FOR PAINT COLOR MATCH,  
PLEASE PAY ATTENTION TO THE FOLLOWING:**

- 1. TAKE SAMPLE(S):** Select locations that represent typical color and texture.  
Send one sample for each color needed.  
*Color:* **SEND A CLEANED SAMPLE, IF BUILDING WILL BE CLEANED.  
The lab will not clean any samples.**  
*Sample size:* No smaller than 2" x 2" - larger if possible (**No Powder!**)
- 2. MARK SAMPLE(S):** **The surface to be matched must be clearly indicated.**
- 3. COMPLETE SAMPLE INFORMATION FORM:** Project Manager or Architect must complete the attached form and return it.  
One form should be completed for each sample being sent. **We cannot begin to process your samples until we receive the form(s) and payment.**
- 4. SEND SAMPLE(S) AND FORM TO:** Cathedral Stone Products, Inc.  
Attn: Color Lab  
7266 Park Circle Drive  
Hanover, MD 21076  
Fax: (410) 782-9155

*Allow 2 Weeks for Processing Color Samples*

You Will Receive:

- One matching paint sample
- The paint sample should be mixed and applied on site (from the same location that sample was removed) as a color mock-up.
- Directions for mixing, application, and curing are included or can be found on [www.cathedralstone.com](http://www.cathedralstone.com).  
*(The site-applied sample should match our finished laboratory sample)*



Cathedral Stone® Products, Inc.

The leader in scientific masonry restoration

## COLOR SAMPLE INFORMATION: PAINT COLOR MATCH

Please complete this form (one for each different sample) and include it when you send us your sample. Our lab requires this information to formulate a custom Mineral Coating product. We cannot process your sample without it. **For all sample colors a lab fee will be required, and must be received before the color matching process will begin.** Thank you!

Bill to: \_\_\_\_\_

Ship To: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Phone: (\_\_\_\_\_) \_\_\_\_\_

FAX: (\_\_\_\_\_) \_\_\_\_\_

Contact: \_\_\_\_\_

Email: \_\_\_\_\_

*If you would like to pay the lab fee by credit card, please complete the following:*

Card Number: \_\_\_\_\_ Exp. Date: \_\_\_\_\_ ID Code: \_\_\_\_\_

Card Holder's Name: \_\_\_\_\_ Card Holder's Signature: \_\_\_\_\_

Building or Project Name: \_\_\_\_\_

Address: \_\_\_\_\_

Person in charge of color approval: \_\_\_\_\_

*(Architect, Consultant, Owner?)*

Company: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

Phone: (\_\_\_\_\_) \_\_\_\_\_

Fax: (\_\_\_\_\_) \_\_\_\_\_

### PREFERRED METHOD

Please answer the following questions when you are sending in a stone sample:

Surface to be matched?  exposed  fractured *(Please mark the sample on the side to be matched)*

Will the building be cleaned?  yes  no **Has the sample been cleaned?**  yes  no

*Note: We do not clean samples, if the building has or will be cleaned, the sample to be matched must also be clean.*

**If sample of stone cannot be sent in:**

Fan Deck Supplier: \_\_\_\_\_ Color Code: \_\_\_\_\_ Color Name: \_\_\_\_\_

*(Benjamin Moore, Sherwin Williams, etc.)*

*(AF-566, 1044, 35452-BS-2, etc.)*

*(Coastal path, Elk horn, etc.)*

For your sample, would you like:

MasonRE Paint (\$77 each – 12 oz)  MasonRE Fixative (\$17 each - 12oz.)  Terra Coat (\$17 each -12oz)

How much do you anticipate needing: \_\_\_\_\_ sq. ft. @ \_\_\_\_\_ depth (or # of pails: \_\_\_\_\_) When: \_\_\_\_\_

Submitted by: *(Signature)* \_\_\_\_\_